

ACL (Article de revue à comité de lecture)

ACL (Article de revue à comité de lecture)
ACLN (Article de revue à comité de lecture non répertoriée)
ASCL (Article de revue sans comité de lecture)
C-INV (Conférence invitée)
C-ACTI (Communication avec actes, colloque international)
C-ACTN (Communications avec actes, colloque national)
C-COM (Communication sans acte)
C-AFF (Posters)
BRE (Brevet)
OS-OUV (Ouvrage scientifique/technique)
OS-CH (Chapitre d'ouvrage scientifique/technique)
PT-ART (Article de transfert, revue technique)
PT-R (Rapports)
HDR (Habilitation à diriger des recherches)

ACL (Article de revue à comité de lecture)

2017

Hendel M., Azos K., **TremeacB.** 2017. Behavioral adaptation to heat-related health risks in cities. Energy and buildings, <http://dx.doi.org/10.1016/j.enbuild.2016.11.063>

Giraud F., Vallon P., **Tremeac B.** **2017**. Experimental study of water vaporization occurring inside the channel of a smooth-plate type heat exchanger connected to an adsorber and comparison with trends observed in absorption configurations. International journal of refrigeration, <http://dx.doi.org/10.1016/j.ijrefrig.2017.02.021>

Dahmani M., **Périlhon C.**, **Marvillet C.**, Hajjaji N., Houas A., Khila Z. **2017**. Development of a fixed bed gasifier model and optimal operating conditions determination. American institute of physics AIP conference proceedings 1814, 020069. Doi : 10.1063/1.4976288

Aldhaidhawi, M.; **Chiriac**, R. ; Badescu, V. **2017**. Ignition delay, combustion and emission characteristics of Diesel engine fueled with rapeseed biodiesel – A literature review. Renewable and Sustainable Energy Reviews. 73 : 178–186. Doi :10.1016/j.rser.2017.01.129

Clenci, A. ; Niculescu, R. ; Simn, V.I. ; Tric, A. ; **Danlos**, A. **2017**. On the effect of Di-Ethyl-Ether (DEE) injection upon the cold starting of a biodiesel fuelled compression ignition engine. AIP Conference Proceedings 1814, 020064. doi : 10.1063/1.4976283

Atta Atta, P. ; N'guessan Y. ; Morin C. ; Jaecker Voirol, A. ; **Descombes**, G. **2017**. Calculation of greenhouse gas emissions of jatropha oil and jatropha biodiesel as alternative fuels for electricity production in Côte d'Ivoire. AIP Conference Proceedings 1814, 020068. doi : 10.1063/1.4976287

Dahmani M., **Périlhon C.**, **Marvillet C.**, Hajjaji N., Houas A., Khila Z. **2017**. Development of a fixed bed gasifier model and optimal operating conditions determination. American institute of physics AIP conference proceedings 1814, 020069. Doi : 10.1063/1.4976288

Keryakos E., Toubassy J., Clodic D., **Descombes G.** **2017**. Frost growth investigation and temperature glide refrigerants in a fin-and-tube heat exchanger. International Journal of Air conditioning and Refrigeration, <http://dx.doi.org/10.1142/S2010132517500092>

Keryakos E., Toubassy J., **Danlos A.**, Clodic D., **Descombes G.** **2017**. Fin-and-tube heat exchanger material and inlet velocity effect under frosting conditions. American Institute of Physics AIP Conference Proceedings 1814, 020046, doi : 10.1063/1.4976265

Bassila J., Toubassy J., Clodic D., **Danlos A.** **2017**. Energy and Exergy Analysis for Low-Temperature Refrigeration System for Biogas Upgrading, Journal of Energy and Power Engineering 11, doi: 10.17265/1934-8975/2017.01.002

Bassila J., Toubassy J., **Danlos A.**, **Descombes G.**, Clodic D. **2017**. Material and fin pitch effect on frosting CO₂ in a fin-and-tube heat exchanger. AIP Conference Proceedings 1814, 020047 doi:10.1063/1.497626

Punov P., Milkov N., **Danel Q.**, **Périlhon C.**, **Podevin P.**, Evtimov T. **2017**. Optimization of automative rankine cycle waste heat recovery under various engine operating condition. American institute of physics AIP conference proceedings 1814, 020074. Doi : 10.1063/1.4976293

2016

Bongo Njeng, A.S. ; **Vitu**, S. ; Dirion, J.-L. ; Clause, M. ; **Debacq**, M. **2016**. Effect of lifter shape and operating parameters on the flow of materials in a pilot rotary kiln: part III. Up-scaling considerations and segregation analysis. Powder technology 297: 415-428.

Dahmani M., **Périlhon C.**, **Marvillet C.**, Hajjaji N., Houas A., Khila Z. **2016**. Study of optimal conditions of a palm waste fixed bed gasifier for power generation. International journal of ChemTechResearch 9 (2A), 601-606.

Essalhi N., Fguiri A., **Marvillet C.**, Jeday M.-R. **2016**. Design of helical coil condenser of small-capacity water/lithium bromide absorption cooling machine. International journal of hydrogen energy, <http://dx.doi.org/10.1016/j.ijhydene.2016.10.139>

Wu, J. ; **Tremeac**, B. ; **Terrier**, M.F. ; Charni, M. ; Gagnière, E. ; Couenne, F. ; Hamroun, B. ; Jallut, C. **2016**. Experimental investigation of the dynamic behavior of a large-scale refrigeration – PCM energy storage system. Validation of a complete model. Energy 116: 32-42.

Giraud F., **Toublanc**C., Rullière R., Bonjour J. and **Clausse**M. **2016**. Experimental study of water vaporization occurring inside a channel of a smooth plate-type heat exchanger at subatmospheric pressure. *Applied thermal engineering* 106, 180-191.

Giraud F., Rullière R., **Toublanc**C., **Clausse**M. and Bonjour J. **2016**. Subatmospheric pressure boiling on a single nucleation site in narrow vertical spaces. *International journal of heat and fluid flow* 58, 1-10.

Punov, P. ; Evtimov, T. ; **Chiriac**, R. ; **Clenci**, A. ; **Danel**, Q. ; **Descombes**, G. **2016**. Progress in high performance, low emissions, and exergy recovery in internal combustion engines. *International Journal of Energy Research*. doi: 10.1002/er.3666

Punov P. ; **Lacour**S. ; **Perilhon**C. ; **Podevin**P. ; **Descombes**G. ; Evtimov T. **2016**. Numerical study of the waste heat recovery potential of the exhaust gases from a tractor engine. *Proceedings of the institution of mechanical engineers, part D: Journal of automobile engineering* 230(1): 37-48.

Clenci, A. ; Niculescu, R. ; **Danlos**, A. ; Iorga-Siman, V. ; Trica, A. **2016**. Impact of biodiesel blends and Di-Ethyl-Ether on a cold starting performance of a compression ignition engine. *Energies* 9(4): 284-303.

Jorge, E.G. ; Rayar, A.M. ; Barigye, S.J. ; Rodriguez, M.E.J. ; **Sylla-Iyarreta Veita**, M. **2016**. Development of an in Silico model of DPPH• free radical scavenging capacity: prediction of antioxidant activity of coumarin type compounds. *Int J Mol Sci* 17(6): 881. DOI:10.3390/ijms17060881

Sylla-Iyarreta Veitia, M. ; Siverio-Mota, D. ; Lerari, V. ; Marin, M. ; Giner, R.M. ; **Ferroud**, C. ; Vicet-Muro, L. ; Rivero-Guerra, Y. ; De Witte, P.A.M. **2016**. Fishing anti-inflammatories from known drug: In Silico repurposing, design, synthesis and biological evaluation of bisacodyl analogues as potential anti-inflammatory agents. *Curr Top Med Chem, special issue CTMC*.

Sylla-Iyarreta Veitia, M. ; Rampal, C. ; **Ferroud**, C. **2016**. Regioselective Friedel-Crafts hydroalkylation using friendly conditions: application to the synthesis of anti-inflammatory unsymmetrical triarylmethanes. *Curr Top Med Chem, special issue CTMC*.

Amara, Z. ; Poliakoff, M. ; Duque, R. ; Geier, D. ; Francio, G. ; Gordon, C.M. ; Meadows, R.E. ; Woodward, R. ; Leitner, W. **2016**. Enabling the scale-up of a key asymmetric hydrogenation step in the synthesis of an API using continuous flow solid-supported catalysis. *Org Process Res Dev* 20: 1321-1327.

2015

Bongo Njeng, A.S. ; **Vitu**, S. ; Clause, M. ; Dirion, J.-L. ; **Debacq**, M. **2015**. Effect of lifter shape and operating parameters on the flow of materials in a pilot rotary kiln: Part II. Experimental hold up and mean resistance time modelling. *Powder technology* 269: 566-576.

Bongo Njeng, A.S. ; **Vitu**, S. ; Clause, M. ; Dirion, J.-L. ; **Debacq**, M. **2015**. Effect of lifter shape and operating parameters on the flow of materials in a pilot rotary kiln: Part I. Experimental RTD and axial dispersion study. *Powder technology* 269: 554-565.

MeunierF. and Reis A.H. **2015**. Comment on “Soon W. and Legates D.R., solar irradiance modulation of equator-to-pole (arctic) temperature gradients: empirical evidence for climate variation on multi-decadal time scales“, *J. atmos. sol. Terr. Phys.*, 93 (2013) 45-56. *Journal of atmospheric and solar terrestrial physics* 125-126, 8-9.

Giraud F., Rullière R., **Toublanc**C., **Clausse**M. and Bonjour J. **2015**. Experimental evidence of a new regime for boiling of water at subatmospheric pressure. *Experimental thermal and fluid science* 60, 45-53.

Clenci, A. ; Hara, V. ; Doru Stanescu, N. ; Bizziac, A. ; Niculescu, R. **2015**, Analytical synthesis and computer aided kinematic analysis of a continuously variable valve lift mechanism. *Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science*. 231 : 202-217. doi.org/10.1177/0954406215620686

Chiriac, R. ; Racovitza, A. ; **Podevin**, P. ; **Descombes**, G. **2015**. On the possibility to reduce CO2 emissions of heat engines fuelled partially with hydrogen produced by heat recovery. *International journal of hydrogen energy* 40(45): 15856-15863.

Danel Q. ; Perilhon C. ; Lacour S. ; Punov P. ; Danlos A. **2015**. Waste heat recovery applied to a tractor engine. International conference on technologies and materials for renewable energy – TMREES15. Energy procedia 74: 331-343.

Podevin, P. ; Perilhon, C. ; Danlos, A. ; Punov, P. ; Hussain, N. ; Wagner, M. ; Massouh, F. ; Mansilla, R. **2015**. Effect of water injection at inlet of turbocharger on compressor performances. Proceedings of the european automotive congress EAEC-ESFA 2015, Bucarest, Romania, pp. 765-782.

Punov P. ; Lacour S. ; Perilhon C. ; Podevin P. ; Descombes G. ; Evtimov T. **2015**. Numerical study of the waste heat recovery potential of the exhaust gases from a tractor engine. Proceedings of the institution of mechanical engineers, part D: Journal of automobile engineering.

Sylla-Iyarreta Veitia M. and Ferroud C. **2015**. New activation methods used in green chemistry for the synthesis of high value added molecules. Int. J. Energy Environ. Eng. 6(1), 37-46.

Renouard S., Corbin C., Colas C., Fidel T., Lopez T., Leclerc E.A., Hendrawati O., Falguières A., Doussot J., Ferroud C., Maunit B., Lainé E. and Hano C. **2015**. Aerial part of Callitris species as a rich source of deoxypodophyllotoxin. Industrial crops and products 63, 53-57.

Rayar A., Sylla-Iyarreta Veitia M., Ferroud C. **2015**. An efficient and selective microwave-assisted Claisen-Schmidt reaction for the synthesis of functionalized benzalacetones. Springer plus 4, 221.

Görmen M., Sylla-Iyarreta Veitia M., Trigui F., El Arbi M. and Ferroud C. **2015**. Ferrocenyl derivatives of bisacodyl: synthesis and antimicrobial activity. J. Organometall. Chem. 794, 274-281.

Corbin C., Fidel T., Leclerc E.A., Barakzoy E., Sagot N., Falguières A., Renouard S., Blondeau J.P., Ferroud C., Doussot J., Lainé E. and Hano C. **2015**. Development and validation of an efficient ultrasound assisted extraction of phenolic compounds from flax (*Linum usitatissimum* L.) seeds. Ultrason. Sonochem. 26, 176-185.

2014

Roufa, R.A.; Amanul Alamb, K.C.; Hakim Khanc, M.A.; Sahad, B.B.; Meunier, F.; Abdul Alimc, M. and Ariful Kabira, K.M. **2014**. Advancement of solar adsorption cooling by means of storage. Procedia Engineering 90, 649-656.

Deligant, M. ; Khelladi, S. ; Bakir F. ; Podevin, P. **2014**. Surge Limit Prediction of Centrifugal Compressor Using Semi Classical Signal Analysis. ASME Proceedings. 12 : T15A012; 9 pages doi:10.1115/IMECE2014-37546

Clenci A.C. ; Iorga-Siman V. ; Deligant M. ; Podevin P. ; Descombes G. ; Niculescu R. **2014**. A CFD (computational fluid dynamics) study on the effects of operating an engine with low intake valve lift at idle corresponding speed. Energy 71: 202-217.

Danlos A. ; Ravelet F. ; Coutier-Delgosha O. ; Bakir F. **2014**. Cavitation regime detection through proper orthogonal decomposition: dynamics analysis of the street cavity on a grooved convergent-divergent nozzle. International Journal of Heat and Fluid Flow 47: 9-20.

Danlos A. ; Mehal J.-E. ; Ravelet F. ; Coutier-Delgosha O. ; Bakir F. **2014**. Study of the cavitating instability on a grooved Venturi profile. Journal of Fluids Engineering 136 (10).

Lacour S. ; Burgun C. ; Perilhon C. ; Descombes G. ; Doyen V. **2014**. A model to assess tractor operational efficiency from bench test data. Journal of Terramechanics 54: 1-18.

Haddad C. ; Perilhon C. ; Danlos A. ; François M.-X. ; Descombes G. **2014**. Some efficiency solutions to recover low and medium waste heat competitiveness of the thermoacoustic technology. 2014. Energy procedia 50: 1056-1069.

Chahida B. ; Van der Elst L. ; Flament J. ; Boumezbeur F. ; Medina C. ; Port M. ; Muller R.N. ; Lesieur S. **2014**. Entrapment of a neutral Tm(III)-based complex with two inner-sphere coordinated water molecules into PEG-stabilized vesicles: towards an alternative strategy to develop high-performance lipoCEST contrast agents for MR imaging. Contrast Media and Molecular Imaging 9(6): 391-399.

Fretelier N. ; Poteau N. ; Factor C. ; Mayer J.F. ; Medina C. ; **PortM.** ; Idee J.M. ; Corot C. **2014**. Analytical interference in serum Iron determination reveals Iron vs. Gadolinium transmetallation with linear Gadolinium-based contrast agents. *Agents. Invest. Rad.* 49(12): 766-772.

Siverio-Mota D. ; Andujar I. ; Marrero-Ponce Y. ; Giner R.M. ; Vicet-Muro L. ; Cordero-Maldonado M.L. ; De Witte P.A.M. ; Crawford A.D. ; **Sylla Iyarreta-Veitia M.** ; Perez-Jimenez F. ; Aran V.J. **2014**. Pharmacological evaluation of the anti-inflammatory activity and chemoinformatic analysis of new potent 2-substitued 1-methyl-5-nitroindazolinones. *Current topics in medicinal chemistry* DOI:10.2174/1568026614666140923145506.

DiouryF. ; Duprat A. ; Dreyfus G. ; **FerroudC.** ; Cossy J. **2014**. QSPR prediction of the stability constants of Gadolinium(III) complexes for MRI. *Journal of chemical information and modelling* 54(10): 2718-2731.

Bort G. ; Catoen S. ; Borderies H. ; Keksi A. ; Ballet S. ; Louin G. ; **PortM.** ; **FerroudC.** **2014**. Gadolinium-based contrast agents targeted to amyloid aggregates for the early diagnosis of Alzheimer's disease by MRI. *Eur. J. Med. Chem.* 87: 843-861.

Fliniaux O. ; Corbin C. ; Ramsey A. ; Renouard S. ; Beejmohun V. ; Dousot J. ; **FalguièresA.** ; **FerroudC.** ; Lamblin F. ; Lainé E. ; Roscher A. ; Grand E. ; Mesnard F. ; Hano C. **2014**. Microwave assisted extraction of herbacetin diglucoside from flax (*Linum usitatissimum* L.) seed cakes and its quantification using an RP-HPLC-UV system. *Molecules* 19: 3025-3037.

Wagner M. ; Contie Y. ; **FerroudC.** ; Revial G. **2014**. Enantioselective aldol reactions and Michael addition using proline derivatives as organocatalysts. *International journal of organic chemistry* 4(1): 55-67.

2013

Debacq, M. ; **Thammavong, P.** ; **Vitu, S.** ; Ablitzer, D. ; Houzelot, J.L. ; Patisson, F. **2013**. A hydrodynamic model for flighted rotary kilns used for the conversion of cohesive uranium powders. *Chemical engineering science* 104: 586-595.

Debacq, M. ; **Vitu, S.** ; Ablitzer, D. ; Houzelot, J.-L. ; Patisson, F. **2013**. Transverse motion of cohesive powders in flighted rotary kilns: experimental study of unloading at ambient and high temperatures. *Powder technology* 245: 56-63.

Idri, I. ; **Havet, J.-L.** ; Garcia Fernandez, J.M. ; **Porte, C.** **2013**. Prebiotic di-D-fructose dianhydride-enriched caramels: development of batch process (1 L) and optimization of operating conditions. *Journal of Food Process Engineering* 36(1): 95-102

Pirngruber, G. D., Guillou, F. , Gomez, A., **Clausese, M.**, **2013**, A theoretical analysis of the energy consumption of post-combustion CO2 capture processes by temperature swing adsorption using solid sorbents, *Int. J. Greenhouse Gas Control*, 14, 74-83

ClenciA. ; Biziiac A. ; **PodevinP.** ; Niculescu R. **2013**. Variable intake valve lift on a port fuel injected engine and its effects on idle operation. *Mobility and Vehicle Mechanics*: 35-40.

ClenciA. ; Biziiac A. ; **PodevinP.** ; **DescombesG.** ; Deligant M. ; Niculescu R. **2013**. Idle operation with low intake valve in a port injected engine. *Energies* 6: 2874-2891.

PerilhonC. ; **LacourS.** ; **PodevinP.** ; **DescombesG.** **2013**. Thermal electricity storage by a thermodynamic process: study of temperature impact on the machines. *Energy procedia* 36: 923-938.

2012

Idri, I. ; **Havet, J.-L.** ; Garcia Fernandez, J.M. ; **Ferroud, C.** ; **Porte, C.** **2012**. Microwave-assisted synthesis of prebiotic di-D-fructose dianhydride-enriched caramels. *Food Chemistry* 134: 1527-1532.

Caqueret, V. ; Cagnon, B. ; Bostyn, S. ; Fauduet, H. **2012**. Removal of dark coloured and polyphenolic compounds of sugar beet vinasse by adsorption onto activated carbons: Application to a crosscurrent adsorption process. *The Canadian Journal of Chemical Engineering* 90(2): 403-411.

Clause, M., **Meunier**, F., Reis, A.-H., Bejan, A., **2012**, Climate change, in the framework of the Constructal Law, Int. J. of Global Warming, 4(3/4), 242 – 260

Tremeac, B.; Bousquet, P.; De Munck, C.; Pigeon, G., Masson, V.; Marchadier, C.; Merchat, M.;Poeuf, P.; **Meunier**, F. **2012**. Influence of air-conditioning management on heat island in Paris air street temperatures. Applied Energy 95: 102-110.

De Munck, C. ; Pigeon, G. ; Masson, V. ; **Meunier**, F. ; Bousquet, P. ; **Tréméac**, B. ; Merchat, M. ; Poeuf, P. ; Marchadier, C. **2012**. How much can air conditioning increase air temperatures for a city like Paris, France ? Int. J. Climatol. 33(1), 210 – 227.

Glavatskaya, Y. ; **Podevin**P. ; Lemort, V. ; Shonda, O.; **Descombes**, G. **2012**. Reciprocating expander for an exhaust heat recovery Rankine cycle for a passenger car application. Energies 5: 1751-1765.

Dong Y., El-Bakkali A., **Descombes**G., Feidt M., **Périlhon**C. **2012**, Association of Finite-Time Thermodynamics and a Bond-Graph Approach for Modeling an Endoreversible Heat Engine. Entropy, 14(4): 642-653

Lacour, S. ; Chinese, T. ; Alkadee, D. ; **Périlhon**, C. ; **Descombes**, G. **2012**. Energy and environmental balance of biogas for dual-fuel mobile applications. Renewable Sustainable Energy Rev., 16(3): 1745–1753.

Marnier, Y. ; **Périlhon**, C. ; **Descombes**, G. ; Chacoux, C. **2012**, Thermodynamic Modelling of an Ejector with Compressible Flow by a One-Dimensional Approach. Entropy, 14(1): 599-613

Périlhon, C. ; Alkadee, D. ; **Descombes**, G. ; **Lacour**S. **2012**, Life cycle assessment applied to electricity generation from renewable biomass. Journal Energy Procedia. 18: 160-181

Deligant, M. ; **Podevin**, P. ; **Descombes**, G. **2012**. Experimental identification of turbocharger mechanical friction losses. Energy, 39(1): 388–394

2011

Cagnon, B. ; Chedeville, O. ; Cherrier, J.-F. ; **Caqueret**, V. ; **Porte**, C. **2011**. Evolution of adsorption kinetics and isotherms of gallic acid on an activated carbon oxidized by ozone: Comparison to the raw material. Journal of the Taiwan Institute of Chemical Engineers 42(6): 996-1003.

Rabesiaka, M. ; **Porte**, C. ; Bonnin-Paris, J. ; **Havet**, J.-L. **2011**. An automatic method for the determination of saturation curve and metastable zone width of lysine monohydrochloride. J. Cryst. Growth 332(1): 75-80.

Rabesiaka, M. ; **Rakotondramasy-Rabesiaka**, L. ; Mabile, I. ; **Porte**, C. ; **Havet**, J.-L. **2011**. Extraction of trans-resveratrol from red wine and optimization by response surface methodology. Sep. Purif. Technol. 81(1): 56-61.

Bonnin-Paris, J. ; Bostyn, S. ; **Havet**, J.-L. ; Fauduet, H. **2011**. Determination of the metastable zone width of glycine aqueous solutions for batch crystallizations. Chem. Eng. Commun. 198(8): 1004 - 1017.

Thammavong, P. ; **Debacq**, M. ; **Vitu**, S. ; Dupoizat, M. **2011**. Experimental Apparatus for Studying Heat Transfer in Externally Heated Rotary Kilns. Chem. Eng. Technol. 34(5): 707-717.

Clause, M. ; Merel, J. ; **Meunier**, F. **2011**. Numerical parametric study on CO₂ capture by indirect thermal swing adsorption. Int. J. Greenhouse Gas Control. 5(5): 1206-1213.

Diango, A. ; **Périlhon**, C. ; Danho, E. ; **Descombes**, G. **2011**. Influence of heat transfer on gas turbine performance. Advances in Gas Turbine Technology. InTech: ISBN 978-953-307-3248: 211-236.

Deligant, M. ; **Podevin**, P. ; **Descombes**, G. **2011**. CFD model for turbocharger journal bearing performances. Appl. Therm. Eng. 31(5): 811-819.

Podevin, P. ; **Clenci**, A. ; **Descombes**, G. **2011**. Influence of the lubricating oil pressure and temperature on the performance at low speeds of a centrifugal compressor for an automotive engine. Appl. Therm. Eng. 31(23): 194-201.

Diango, A. ; **Périlhon**, C. ; **Descombes**, G. ; Danho, E. **2011**. Application of exergy balances for the optimization of non-adiabatic small turbomachines operation. Energy 36(5): 2924-2936.

Descombes, G. **2011**. Characterization of a spray in the combustion chamber of a low emission gas turbine. Advances in Gas Turbine Technology. InTech: ISBN 978-953-307-324-8: 267-290.

<http://cmgpce.cnam.fr/acl-article-de-revue-a-comite-de-lecture--719562.kjsp?RH=1421164830629>